AMENDMENTS TO THE CLAIMS

1. (Currently amended) A compound of formula (I):

$$\begin{array}{c|c}
R^{2} & R^{3} \\
R^{1} & R^{6} \\
\hline
R^{1} & R^{6} \\
\end{array}$$
Het
$$\begin{array}{c}
R^{2} & R^{6} \\
R^{7} & R^{7}
\end{array}$$

Wherewherein:

Het is a 5 or 6-membered heterocyclic ring containing one to three heteroatoms, each independently selected from exygen, nitrogen and suphur, provided that the ring is not 4.2.3-triazele, the ring substituted by one, two or three groups R?;

R¹ is hydrogen, formyl, CO-C₁₋₄ alkyl, COO-C₁₋₄ alkyl, C₁₋₄ alkoxy(C₁₋₄)alkylene, CO-C₁₋₄ alkylenoxy(C₁₋₄)alkyl, propargyl or allenyl;

 $\mathsf{R}^2,\,\mathsf{R}^3,$ and R^4 are each, independently, hydrogen, halogen, methyl or $\mathsf{CF}_3;$

R5 is hydrogen or fluorine:

each R6 is, independently, halogen, methyl or CF3;

 R^7 is $(Z)_mC=C(Y^1)$, or $(Z)_mC(Y^1)=C(Y^2)(Y^3)$;

 $each - R^{\gamma} \cdot is, -independently, -halogen, -C_{4,3} alkyl, -C_{4,3} haloalkyl, -C_{4,3} alkoxy(-C_{4,3}) alkylene - or -cyano; -cy$

X is O or S;

Y¹, Y² and Y³ are each, independently, hydrogen, halogen, C₁₋₆ alkyl [optionally substituted by one or more substituents each independently selected from halogen, hydroxy, C₁₋₄ alkoxy, C₁₋₄

AMENDMENT SN 10/540,036 Page 2 of 8 February 20, 2007 haloalkoxy, $C_{1.4}$ alkylthio, $C_{1.4}$ haloalkylthio, $C_{1.4}$ alkylamino, $di(C_{1.4})$ alkylamino, $C_{1.4}$ alkylamino, $C_{$

Z is $C_{1:4}$ alkylene [optionally substituted by one or more substituents each independently selected from hydroxy, cyano, $C_{1:4}$ alkoxy, halogen, $C_{1:4}$ haloalkyl, $C_{1:4}$ haloalkoxy, $C_{1:4}$ alkylthio, COOH and COO- $C_{1:4}$ alkyll;

m is 0 or 1; and

n is 0, 1 or 2.

- Cancelled.
- (Previously presented) A compound of formula (I) as claimed in claim 1 where R¹ is hydrogen, propargyl, allenyl, formyl, COMe, COEt or COCH₂OMe.
- 4. (Previously presented) A compound of formula (I) as claimed in claim 1 where Y^1 , Y^2 and Y^3 are, independently, hydrogen, halogen, $C_{1\cdot6}$ alkyl, $C_{1\cdot3}$ haloalkyl, $C_{1\cdot4}$ (haloalkyty) $C_{1\cdot4}$ alkyl, trimethylsilyl, $C_{2\cdot4}$ alkenyl, $C_{2\cdot4}$ haloalkenyl or $C_{3\cdot6}$ cycloalkyl (optionally substituted by one or more substituents each independently selected from halogen and $C_{1\cdot2}$ alkyl).
- 5. (Previously presented) A compound of formula (I) as claimed in claim 1, where m = 0.
- (Previously presented) A compound of formula (I) as claimed in claim 1, where Z is C_{1.2} alkylene [which may be optionally substituted by one or more substituents each independently selected from halogen, C_{1.4} haloalkyl and C_{1.4} haloalkoxyl.
- 7. (Previously presented) A compound of formula (I) as claimed in claim 1, where R^7 is in the 4' position.
- 8. (Previously presented) A compound of formula (I) as claimed in claim 1, where n = 0. 9. and 10. Cancelled.
- 11. (Currently amended) A composition for controlling microerganiems—fungi_and preventing attack and infestation of plants therewith, wherein the active ingredient is a compound of formula (I) as claimed in claim 1 together with a suitable carrier.
- 12. (Currently amended) A method of controlling or preventing infestation of cultivated plants by phytopathogenic microorganisms-fungi_by application of a compound of formula (I) as claimed in claim 1 to plants, to parts thereof or the locus thereof.

13. (New) A compound according to claim 1 wherein R7 is CH=CHSiMe₃, CH=CF₂, CH=CCI₂, CH=CBI₂, CF=CF₂, CCI=CH₂, CBr=CH₂, CF=CHF, CH=CHCF₃, CH=CCICF₃, C=CH, C=CSiMe₃, C=CCI, C=CBr, C=CCF₃, C=CMe₄, C=CCMe₃, C=CCHMe₂, C=C(cycloC₃H₅), CH₂C=CH, SiMe₃ or CH₂C=CSiMe₃.